Scaleauto

Model Car Competition

2011

1/32 • 1/24 Race Tuned Slot Competition Cars

BMW M3 GTR GT2

• NEW •

SC-7015 24h LeMans 2010

SC-7008 ALMS 2009

	Reference	Motor	Motor Size	Guide	Ratio	Chassis	Suspensions System	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
ALMS 2009	SC-7008	SC-25	Long Can	SC-1601	12/44	MSC-11	✗	26 x 10 Hard	23,5 x 10 Aluminium	27 x 13 Soft	23,5 x 13 Aluminium
24h LeMans 2010	SC-7015										
White body kit	SC-7009										



Slot Cars 1/24

Jaguar XKR-RSR GT2

SC-7018 Petit LeMans 2010

	Reference	Motor	Motor Size	Guide	Ratio	Chassis	Suspensions System	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
Petit LeMans	SC-7018	SC-25	Long Can	SC-1601	12/44	MSC-11	X	26 x 10 Hard	23,5 x 10 Aluminium	27 x 13 Soft	23,5 x 13 Aluminium
White body kit	SC-7019										



Mercedes SLS GT3

SC-7021 Nurburgring #738



	Reference	Motor	Motor Size	Guide	Ratio	Chassis	Suspensions System	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
Nurburgring #738	SC-7021	SC-25	Long Can	SC-1601	12/44	MSC-11	✗	26 x 10 Hard	23,5 x 10 Aluminium	27 x 13 Soft	23,5 x 13 Aluminium
White body kit	SC-7020										

Slot Cars 1/24

Porsche 911 RSR

SC-7011 Team Martini JWA Racing

• NEW •



SC-7007
IMSA performance LeMans 2008



SC-7016
Team Felbermayr LeMans 2010

• NEW •

SC-7005
White body racing kit

	Reference	Motor	Motor Size	Guide	Ratio	Chassis	Suspensions System	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
Team Martini JWA	SC-7011	SC-25	Long Can	SC-1601	12/44	MSC-11	X	26 x 10 Hard	23,5 x 10 Aluminium	27 x 13 Soft	23,5 x 13 Aluminium
Team Felbermayr	SC-7016										
IMSA perf. LeMans	SC-7007										
White body kit	SC-7005	SC-12			10/44						



Porsche 911 GT3

SC-7014
Kelly Moss Racing IMSA Michelin GT3 Cup

• NEW •

SC-7003
911 Cup Penthouse 2007



• NEW •



SC-7004
Cup/Rally White body racing kit

SC-7010 Monster FM 24h Nurburgring 2009

Slot Cars 1/24

Porsche 911 GT3 Rally

SC-7012

Rally Team Fuster Villa Joyosa 2009

• NEW •

BB SERIES

SC-7006 Rally Nupel Team 2009 X. Pons #1

SC-7001 Rally Nupel Team 2009 Vallejo #4

	Reference	Motor	Motor Size	Guide	Ratio	Chassis	Suspensions System	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
Rally Fuster	SC-7012	SC-25	Long Can	SC-1605	10/44	MSC-11	X	26 x 10 Hard	23,5 x 10 Aluminium	27 x 13 Soft	23,5 x 13 Aluminium
Monster FM 24h	SC-7010	SC-25		SC-1601							
Cup Penthouse 2007	SC-7003	SC-12		SC-1601							
Nupel Team 2009 V#4	SC-7001			SC-1605							
Nupel Team 2009 P#1	SC-7006			SC-1605							
White body kit	SC-7004			SC-1605 SC-1601							

SC-1605 - SC-1601





SC-8000RTR
Complete MSC-11 chasis assembled. Fixed guide.



SC-8000R
Complete chassis kit. Swing arm guide.



SC-8000
Complete chassis kit. Fixed guide.

Body Spare Parts



SC-7501
Porsche 911 RSR (997 model) body kit



SC-7502
Porsche 911 GT3 (997 model) Cup & Rally body kit

SC-7606
Speedline 5 spokes
Wheel insert. 20 mm.

SC-7607
OZ Wheel insert. 16/17 mm.

SC-7609
Speedline 15 spokes. Wheel insert. 16/17 mm.

SC-7608
Speedline 15 spokes.
Wheel insert. 20 mm.

SC-7610
BBS GT Weel insert. 20 mm. with brake disc.

Body Spare Parts

SC-7500
Porsche 911 GT1 Evo"96 body kit with decals.

SC-8100
Chasis main plate.

SC-7605
Modern GT complete Cockpit.

SC-7604
Modern RALLY complete Cockpit.

SC-8101
H Plate steel.

SC-8101al
H Plate aluminium.



SC-8101c
H Plate carbon fiber.

SC-8102c
H Plate Pro carbon fiber.

SC-8103
Front axle subframe steel.

SC-8103c
Front axle subframe carbon fiber.

SC-8104
Fix steel Guide holder.

SC-8104c
Fix steel guide holder carbon fiber

SC-8106
Complete swing arm set for rally setup.

SC-8107
Body mount set.

SC-8110
Screw set. Flat and conic head.

SC-8111
Steel 3 mm axle spacers.

SC-8112
Plastic 3 mm axle spacers.

SC-8113
Body Spacers 2 mm.

SC-8114
Motor mount.

SC-8115
Motor mount can fixing.

SC-8116
Motor mount Stopper.

SC-8117
Metal body mount for Porsche 911

SC-8119
Metal body mount for BMW M3

SC-8120
Body special allen fixing screw

SC-8108a Axle holder 7 mm heigh.
SC-8108b Axle holder 8 mm heigh.
SC-8108c Axle holder 9 mm heigh.
SC-8108d Axle holder 10 mm heigh.
SC-8108e Axle holder 11 mm heigh.
(usefull for front and rear axle).

SC-8109a Axle holder 7 mm heigh.
SC-8109b Axle holder 8 mm heigh.
SC-8109c Axle holder 9 mm heigh.
SC-8109d Axle holder 10 mm heigh.
SC-8109e Axle holder 11 mm heigh.

Slot Cars 1/32

Mercedes SLS GT3

• NEW •

BB SERIES Ballraings

SC-6016
Nurburgring 24h 2010 #738

SC-6014 Presentation car #7

SC-6019 Laureus Ltd

	S-CAN	LONG-CAN	SHORT-CAN	SLIM-CAN	FLAT-CAN
IN-LINE	✓	✓	✓	✗	✓
SIDE WINDER	✗	✗	✗	✗	✗
ANGLE WINDER	✗	✓	✗	✗	✓

	Reference	Motor	Motor Size	Ratio	Magnet	BB Series	Lights	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
Presentation Car #7	SC-6014	SC-25	Long Can	10/32	✓	✗	✗	19 x 10 mm Standard	16,9 x 10 mm Plastic	19 x 10 mm Standard	16,9 x 10 mm Plastic
Nurburgring 24h 2010 #738	SC-6016				✓	✗	✗				
Laureus Ltd	SC-6019				✓	✗	✗				

HSV Super GT

• NEW •

SC-6012
EPSON presentation car

SC-6015 ARTA HSV-010 Team

	S-CAN	LONG-CAN	SHORT-CAN	SLIM-CAN	FLEX-CAN
IN-LINE	✓	✓	✓	✗	✓
SIDE WINDER	✗	✗	✗	✗	✗
ANGLE WINDER	✗	✓	✗	✗	✓

	Reference	Motor	Motor Size	Ratio	Magnet	BB Series	Lights	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
EPSON Presentation	SC-6012	SC-25	Long Can	27/9	✓	✗	✗	19 x 10 mm Standard	16,9 x 10 mm Plastic	19 x 10 mm Standard	16,9 x 10 mm Plastic
ARTA HSV-010 Team	SC-6015			10/32	✓	✗	✗				

Slot Cars 1/32

Jaguar XKR RSR GT2

SC-6017 24h LeMans 2010

• NEW •

BB SERIES

SC-6018
IMSA Presentation car

	Reference	Motor	Motor Size	Ratio	Magnet	BB Series	Lights	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
LeMans 2010	SC-6017	SC-25	Long Can	10/32	✓	✗	✗	19 x 10 mm Standard	16,9 x 10 mm Plastic	19 x 10 mm Standard	16,9 x 10 mm Plastic
IMSA Presentation Car	SC-6018			27/9	✓	✗	✗				
2011 Race livery	SC-6020			27/9	✓	✗	✗				

Radical SR-9

SC-6011
LeMans 2010 Race Performance #28

SC-6010 LeMans 2009 Team Bruichladdich #26

	S-CAM	LONG-CAM	SHORT-CAM	SLIM-CAM	FLAT-CAM
IN-LINE	✓	✓	✓	✗	✓
SIDE WINDER	✗	✗	✗	✗	✗
ANGLE WINDER	✗	✗	✗	✗	✓

Slot Cars 1/32



SC-6006

LeMans 2006 X-markets #22

SC-6009

LeMans 2007 Team Bruichladdich #21

	Reference	Motor	Motor Size	Ratio	Magnet	BB Series	Lights	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
LeMans 2006	SC-6006	SC-11	Long Can	27/9	✓	✗	✗	19 x 10 mm Standard	16,9 x 10 mm Plastic	19 x 10 mm Standard	16,9 x 10 mm Plastic
LeMans 2007	SC-6009										
LeMans 2010	SC-6011	SC-25									
LeMans 2009	SC-6010										

Toyota GT-One

SC-6003 24h LeMans '99 #1



SC-6004 24h LeMans '99 #2



BB SERIES Ballbearings

	S-CAN	LONG-CAN	SHORT-CAN	SLIM-CAN	FLAT-CAN
IN-LINE	✓	✓	✓	✗	✓
SIDE WINDER	✗	✗	✗	✗	✗
ANGLE WINDER	✗	✗	✗	✗	✗

	Reference	Motor	Motor Size	Ratio	Magnet	BB Series	Lights	Front		Rear	
								ø Tire	Hub	ø Tire	Hub
LeMans '99 #1	SC-6003	SC-10	S Can	27/9	✓	✗	✗	19 x 10 RT	15 x 8 Aluminium	20 x 11 RT	15 x 8 Aluminium
LeMans '99 #2	SC-6004	SC-21	Long Can		✗	✓	✗				

Guides & Accesories

Supplied in pairs with nylon material



SC-1601

Pro Guide 3/16 Club 8,5 mm blade.

SC-1602

Pro Guide 3/16 Home 7 mm blade.



SC-1608

Universal Club guide 7mm blade. with adjustable spacers for italian cars.

SC-1603

Universal Club 7,9 mm blade.

SC-1604

Universal Home 6,8 mm blade.

SC-1620

Clip-in home Rally Guide 7 mm.

SC-1605

Clip In Home Guide 7 mm.

SC-1621

Clip-in home Rally Guide 7 mm. with active suspension system.

SC-1606

Clip In Home Guide 7 mm with active suspension system.

SC-1622 • NEW •

Guia Heavy duty 3/16 Club Racing (9.1mm profundidad)

SC-1607

Universal Club guide
8,3 mm blade. with adjustable spacers for italian cars.

SC-1624 • NEW •

Narrow racing Pro Guide 3/16" Club racing 9,1mm blade

Accesories for guides

SC-1610

Red silicone wire. 1 m. Diameter: 1mm.



SC-1615

Guide clips for SC-1601 & SC-1602.

SC-1611

Yellow silicone wire. 1 m. Diameter: 1mm.

SC-1616

Guide terminals for 1/32 slot cars.

SC-1617

Blue silicone wire. 1 m. Diameter: 1mm.

SC-1623 • NEW •

Steel guide spacers for 3/16 guides.



SC-1612

Universal soft braids .

SC-1613

Universal standard braids.



SC-1614 Universal Soft braid.

SC-1614b Universal Soft braid 50 units.

SC-1614c Universal Soft braid.100 units..

Aluminium / Carbon Motor Mounts

In-line

- ✓ Perfect CNC Aluminium machinered.
- ✓ Ultra light dessign for minimum weight and maximum speed.
- ✓ Interchangeable motor mount with or without offset set inline gears.
- ✓ Allow LONG can.
- ✓ High Speed Ball Bearing option can be installed (**SC-1321**).



SC-3000b
PRO RT In-Line Aluminium.

Motor mount for:
Scaleauto • MSC • Slot.It • Racer

SC-3050
Offset Motor mount -0,5mm.
(Only for discontinued reference SC-3000)

SC-3051
Magnet mount for 2 x **SC-1502** neodimium magnets.
Adjustable height with double screw fixing.
(Only for discontinued reference SC-3000)

AngleWinder

- ✓ Perfect CNC aluminium motor mounts.
- ✓ Ultra light design for minimum weight and maximum speed.
- ✓ Anglewinder motor mount compatible with plastic chassis from:
  Scaleauto • Racer • MSC • Slot.It
- ✓ Allow LONG can or FLAT can motors.
- ✓ High Speed Ball Bearing option can be installed (**SC-1321**).

SC-3001b
PRO-RT Anglewinder Aluminium motor mount.

SideWinder

- ✓ Perfect CNC aluminium motor mounts.
- ✓ Ultra light design for minimum weight and maximum speed.
- ✓ Sidewinder motor mount compatible with plastic chassis from: **NSR**
- ✓ Allow S-CAN
- ✓ High Speed Ball Bearing option can be installed (**SC-1321**).

• NEW •



SC-3004
PRO-RT Sidewinder
Aluminium motor mount for NSR classic.

1/32 Car Spare Parts

SC-6502
RT Motor mount adapter for S-can endebell drive. Flex.



SC-6504
RT Motor mount adapter for SHORT-can closed motor. Flex.

SC-6509
RT Motor mount adapter for LONG-can motor. Rigid.



SC-6507
Complete Motor mount RT universal use +mount belt +stoppers.Rigid.

SC-6508
RT Motor mount adapter for S-can endebell drive. Rigid.

SC-6510
RT Motor mount adapter for SHORT-can closed motor. Rigid.

SC-6505
Screw set for chasis.

SC-6602
Complete light cockpit set for Toyota GT-One.

SC-6611
Complete light cockpit set for Radical SR-9.

SC-6605
Chasis Toyota GT One v.3.

SC-6612 Chasis Radical SR-9 - hard -
SC-6612b Chasis Radical SR-9 - medium -
SC-6612c Chasis Radical SR-9 - soft -

Inline Gear Options:

24 tooth [**SC-1110**]
25 tooth [**SC-1111**]
26 tooth [**SC-1113**]
28 tooth [**SC-1114**]
29 tooth [**SC-1115**]
30 tooth [**SC-1100**]

Inline pinion Options:

8 tooth [**SC-1190**]
9 tooth [**SC-1191**]
10 tooth [**SC-1192**]
11 tooth [**SC-1193**]
12 tooth [**SC-1194**]



ANGLEWINDER MOTOR OPTIONS

FLAT-CAN ✓ With SC-3001b Aluminium CNC anglewinder motor mount.
✓ Compatible with Slot.It Anglewinder motor mounts.

INLINE MOTOR OPTIONS

S-CAN

SC-6502 • SC-6508

LONG-CAN

SC-6509

SHORT-CAN

SC-6504 • SC-6510

Motors

	Tech 1 **20.000 r.p.m.**	Tech 2 **25.000 r.p.m.**	Tech 3 **30.000 r.p.m.**	Outlaw
Motor S-CAN **Tested at:** 12V **Size:** 25x20x15mm **Double shaft. Plastic endbell** 2 mm Axle	• NEW • **SC-08b** 9 gr **20.000 r.p.m.** 0,21 Amp 216 gr x cm	 **SC-09** 7,5 gr **25.000 r.p.m.** 0,26 Amp 170 gr x cm	• NEW • **SC-10b** 5,5 gr **30.000 r.p.m.** 0,32 Amp 206 gr x cm	 **SC-07** 8 gr **36.000 r.p.m.** 0,40 Amp 190 gr x cm
Motor LONG-CAN **Tested at:** 12V **Size:** 32,1x20,2x15,3mm **Sealed endbell** 2 mm Axle	• NEW • **SC-11b** 7,5 gr **20.000 r.p.m.** 0,21 Amp 260 gr x cm	 **SC-12** 8 gr **25.000 r.p.m.** 0,25 Amp 280 gr x cm	 **SC-13** 9,5 gr **30.000 r.p.m.** 0,32 Amp 330 gr x cm	 **SC-04** 4,5 gr **33.000 r.p.m.** 0,54 Amp 360 gr x cm
Motor SHORT-CAN **Tested at:** 12V **Size:** 25x20x15mm **Sealed endbell** 2 mm Axle	• NEW • **SC-14b** 0,5 gr **20.000 r.p.m.** 0,20 Amp 205 gr x cm	• NEW • **SC-15b** 0,5 gr **25.000 r.p.m.** 0,18 Amp 225 gr x cm	 **SC-16** 0,5 gr **30.000 r.p.m.** 0,35 Amp 260 gr x cm	 **SC-05** 0,5 gr **38.000 r.p.m.** 0,42 Amp 280 gr x cm
Motor SLIM-CAN **Tested at:** 12V **Size:** 26,9x15,5x12mm **Sealed endbell** 1,5 mm Axle	 **SC-17** 2 gr **20.000 r.p.m.** 0,21 Amp 70 gr x cm	 **SC-18** 4,5 gr **25.000 r.p.m.** 0,16 Amp 90 gr x cm	 **SC-19** 4 gr **30.000 r.p.m.** 0,22 Amp 100 gr x cm	 **SC-22** 4,5 gr **38.000 r.p.m.** 0,28 Amp 120 gr x cm

All magnetic effect have been measured with MSC MPM units.

Motors • Ballast • Axles

Sprinter

Motor LONG-CAN
Tested at: 12V.
Size:
32,1 x 20,2 x15,3 mm
Sealed endbell.
2 mm Axle.

• NEW •

SC-25	14,5 gr	
21.000 r.p.m.	0,21 Amp	320 gr x cm

Endurance

Motor LONG-CAN
Tested at: 12V.
Size:
32,1 x 20,3 x 15,3 mm

• NEW •

SC-26	4 gr	
21.000 r.p.m.	0,21 Amp	

Motor S-CAN
Tested at: 12V.
Size:
25x20x15mm
Endbell drive.
2 mm Axle.

SC-06	5,5 gr	
30.000 r.p.m.	0,30 Amp	185 gr/160 cm

BB SERIES Ballbearings

Motor S-CAN
Tested at: 12V.
Size:
25 x 20 x 15 mm
Double Shaft
2 mm Axle.

SC-20	9 gr	
20.000 r.p.m.	0,20 Amp	170 gr x cm

BB SERIES Ballbearings

Motor LARGE-CAN
Tested at: 12V.
Size:
32,1 x 20,2 x 15,3 mm

SC-21	9 gr	
20.000 r.p.m.	0,20 Amp	250 gr x cm

EXCUSIVE

Motor RS-CAN
Tested at: 18V.
Size:
31x23,5x18,3mm
Sealed endbell.
2 mm Axle

SC-01		
20.000 r.p.m.	0,7 Amp	

All magnetic effect have been measured with MSC MPM units.

Self sticking ballast

Ref	Description
SC-1510	Special self sticking ballast 100 x 50 x 1,5 mm
SC-1511	Special self sticking ballast 100 x 50 x 1 mm
SC-1512	Special self sticking ballast 100 x 50 x 0,5 mm
SC-1513	Special self sticking ballast 100 x 50 x 2 mm

Axles

Diameter (D)	Longitude (L)	STEEL Qty	HOLLOW Qty	CARBON Qty	TITANIUM Qty
3 / 32"	45 mm	SC-1209 (2)	SC-1201 (1)	SC-1220 (1)	SC-1230 (1)
	50 mm	SC-1210 (2)	SC-1202 (1)	SC-1221(1)	SC-1231(1)
	55 mm	SC-1211 (2)			
	60 mm	SC-1212 (2)			
	65 mm	SC-1213 (2)			
	70 mm	SC-1214 (2)			
	75 mm	SC-1215 (2)			
3 mm	60 mm	SC-1240 (2)		SC-1262 (1)	
	65 mm	SC-1241 (2)		SC-1263 (1)	SC-1270 (1)
	70 mm	SC-1242 (2)		SC-1264 (1)	SC-1271 (1)
	75 mm	SC-1243 (2)		SC-1265 (1)	



Pinions for motor shaft

Pinions M50 for 2mm motor shaft (2 units each pack)

Aluminium	Steel	Brass
SC-1027 Diameter: 4,5 Tooth: 7	**SC-1127** Diameter: 4,5 Tooth: 7	**SC-1190** Diameter: 4,5 Tooth: 7
SC-1028 Diameter: 5,40 Tooth: 8	**SC-1128** Diameter: 5,40 Tooth: 8	**SC-1191** Diameter: 5,40 Tooth: 8
SC-1029 Diameter: 5,80 Tooth: 9	**SC-1129** Diameter: 5,80 Tooth: 9	**SC-1192** Diameter: 5,80 Tooth: 9
SC-1030 Diameter: 6,35 Tooth: 10	**SC-1130** Diameter: 6,35 Tooth: 10	**SC-1193** Diameter: 6,35 Tooth: 10
SC-1031 Diameter: 6,75 Tooth: 11	**SC-1131** Diameter: 6,75 Tooth: 11	**SC-1194** Diameter: 6,75 Tooth: 11
SC-1032 Diameter: 7,25 Tooth: 12	**SC-1132** Diameter: 7,25 Tooth: 12	**SC-1195** Diameter: 7,25 Tooth: 12
SC-1033 Diameter: 7,75 Tooth: 13	**SC-1133** Diameter: 7,75 Tooth: 30	**SC-1196** Diameter: 7,75 Tooth: 30
SC-1034 Diameter: 8,25 Tooth: 14	**SC-1134** Diameter: 8,25 Tooth: 14	**SC-1197** Diameter: 8,25 Tooth: 14
 **SC-1035** Diameter: 8,70 Tooth: 15	**SC-1135** Diameter: 8,70 Tooth: 15	**SC-1198** Diameter: 8,70 Tooth: 15

Plastic nylon press on pinions

SC-1005

Nylon M50 set Tooth (8, 9, 10,12, 14).

Brass pinions with srew fixing M2,5 (allen 1.3 mm)

SC-1089
Diameter: 6,5
Tooth: 11

SC-1095
Diameter: 7,5
Tooth: 13

SC-1096
Diameter: 7,5
Tooth: 14

Gears 3/32" Axle

Procomp RS crown gear

SC-1110
Tooth: 24
Screw: M2 + STOPER
ø 13,1 mm

SC-1111
Tooth: 25
Screw: M2 + STOPER
ø 13,5 mm

SC-1112
Tooth: 26
Screw: M2 + STOPER
ø 14,1 mm

SC-1114
Tooth: 25
Screw: M2 + STOPER
ø 28 mm

SC-1100
Tooth: 30
Screw: M2 + STOPER
ø 16,2 mm

Procomp RS spur gear

SC-1113
Tooth: 27
Screw M2 + Stoper
ø 14,8 mm.

SC-1123
Stoper Aluminium.
Screw: M2 + STOPER

SIDE WINDER

SC-1152 • Tooth: 32
SC-1153 • Tooth: 33
SC-1154 • Tooth: 34
SC-1155 • Tooth: 35
Screw: M2 • ø 17,5 mm

SC-1143 • Tooth: 33
SC-1144 • Tooth: 34
SC-1145 • Tooth: 35
SC-1146 • Tooth: 36
SC-1147 • Tooth: 37
Screw: M2 • ø 18,5 mm

Procomp RS spur gear

For 25° motor mounts.

SC-1164 • Tooth: 24
SC-1165 • Tooth: 25
SC-1166 • Tooth: 26
SC-1167 • Tooth: 27
SC-1168 • Tooth: 28
SC-1169 • Tooth: 29
SC-1170 • Tooth: 30
Screw: M2 • ø 15,8 mm

SC-1171 • Tooth: 31
SC-1172 • Tooth: 32
Screw: M2 • ø 18 mm

For 25° motor mounts.

For 15° motor mounts.

SC-1178 • Tooth: 28
SC-1179 • Tooth: 29
SC-1180 • Tooth: 30
SC-1181 • Tooth: 31
SC-1182 • Tooth: 32
SC-1183 • Tooth: 33
SC-1184 • Tooth: 34
Screw: M2 • ø 16,75 mm

SC-1124
Axle stopper 3/32" light and anodized. M2 Screw.
Screw: M2 + STOPER • ø 13,5 mm

SC-1125 • NEW •
Axle solid stabilizer for 3/32" axles and NSR chasis
Screw: M3 + STOPER • ø 23,4 mm

SC-1125b • NEW •
Axle solid stabilizer for 3/32" axles and Ninco chasis
Screw: M3 + STOPER • ø 21,4 mm

Gears 3mm Axle

Procomp RS In-line

IN-LINE

SC-1102
Tooth: 32
Screw: M3 + STOPER • ø 20,4 mm

SC-1104
Tooth: 34
Screw: M3 + STOPER • ø 20,9 mm

SC-1105
Tooth: 35
Screw: M3 + STOPER • ø 21,4 mm

SC-1106 • NEW •
Tooth: 36
Screw: M3 + STOPER • ø 21,4 mm

SC-1107
Tooth: 37
Screw: M3 + STOPER • ø 23,4 mm

SC-1108
Tooth: 38
Screw: M3 + STOPER • ø 21,4 mm

Procomp RS In-line

IN-LINE

SC-1120
Axle insert for 3/32" axle for RS inline.

Procomp RS

ANGLE WINDER

SC-1051
Tooth: 39
Screw: M3 + STOPER • ø 20,4 mm

SC-1052
Tooth: 40
Screw: M3 + STOPER • ø 20,9 mm

SC-1053
Tooth: 41
Screw: M3 + STOPER • ø 21,4 mm

SC-1057
Tooth: 45
Screw: M3 + STOPER • ø 23,4 mm

Procomp RS-2

ANGLE WINDER

SC-1053b • NEW •
Tooth: 41
Screw: M3 + STOPER • ø 21,4 mm

SC-1054b
Tooth: 42
Screw: M3 + STOPER • ø 21,9 mm

SC-1055b
Tooth: 43
Screw: M3 + STOPER • ø 22,4 mm

SC-1056b
Tooth: 44
Screw: M3 + STOPER • ø 22,9 mm

SC-1057b • NEW •
Tooth: 45
Screw: M3 + STOPER • ø 21,4 mm

Competition rear wheels

Supplied in pairs with M3 screw set for 3mm axle.

8 mm

Diameters in mm D	D2	Procomp	Procomp 2	Procomp 3
23,5	19		SC-2632p	
25,5	17	SC-2703p	SC-2705p	SC-2707p
25,5	21	SC-2704p	SC-2706p	SC-2708p

11 mm



Diameters in mm D	D2	Procomp	Procomp 2	Procomp 3
20,5	11	SC-2010	SC-2011	
20,5	15	SC-2005	SC-2013	SC-2014
22,5	15	SC-2015	SC-2016	
25,5	17	SC-2109p	SC-2609p	SC_2409p
25,5	21	SC-2119p	SC-2619p	SC-2419p
25,5	21			

16 mm

Diameters in mm D	D2	Procomp	Procomp 2	Procomp 3
25,5	17	SC-2114p	SC-2614p	SC-2414p
27,5	21	SC-2124p	SC-2624p	SC-2424p

18 mm

Diameters in mm D	D2	Procomp	Procomp 2	Procomp 3
25,5	17	SC-2112p	SC-2612p	SC-2412p
27,5	17			SC-2413p
27,5	21	SC-2123p	SC-2623p	SC-2423p

13 mm

Diameters in mm D	D2	Procomp	Procomp 2	Procomp 3
23,5	15			SC-2404p
24,5	17			SC-2405p
25	17			SC-2406p
24,5	19		SC-2634p	
25,5	17	SC-2110p	SC-2610p	SC-2410p
25,5	19		SC-2636p	SC-2436p
25,5	21	SC-2120p	SC-2620p	SC-2420p
26,5	21			SC-2425p
26,75	17			SC-2407p
27,5	17			SC-2411p
27,5	21	SC2121p	SC-2621p	SC-2421p

15'5 mm

Diameters in mm D	D2	Procomp 3
28,5	23	SC-2426BRM

SC-2110p SC-2621p

Supplied in pairs with M3 screw for 3/32" axle.

11 mm

Diameters in mm D	D2	Procomp	Procomp 2	Procomp 3
20,5	11	SC-2004		
20,5	15	SC-2007	SC-2008	SC-2009

9 mm

Diameters in mm D	D2	Procomp	Procomp 2	Procomp 3
20,5	15			SC-2018

SC-2424p

All references supplied in Blister packaging

Hardcomp front wheels

Supplied in pairs with hardcomp sponge M3 screw set for 3 mm axle.

8 mm

Diameters in mm D	D2	
20,5	15	SC-2721p
22,5	17	SC-2718p
23,5	19	SC-2720p
24,5	21	SC-2719p
25,2	21	SC-2710p
25,5	17	SC-2701p
25,5	19	SC-2721p
25,5	21	SC-2702p
26,5	21	SC-2715p
27,5	21	SC-2709p

13 mm

Diameters in mm D	D2	
23,5	17	SC-2712p

11 mm

Diameters in mm D	D2	
20,5	15	SC-2713p
22,5	15	SC-2714p

SC-2701p

Replacement tyres



Diameters in mm D	D2	H	Procomp	Procomp 2	Procomp 3	Hardcomp
28	16	12				SC-4841
30	16	20	SC-4804	SC-4852	SC-4832	
28	20	12				SC-4840
30	20	20	SC-4802	SC-4850	SC-4830	
26,5	21	9			SC-4834	SC-4854
26,5	21	14			SC-4833	SC-4853

Screws and nuts

SC-5100
Selfblocking nuts M2 x 4,5 mm

SC-5118
Selfblocking nuts M2 x 4 mm.

SC-5104
Phillips steel screw .

SC-5108
Allen screw M2x4mm.

SC-5117
Steel allen screw M2 x 6mm.

SC-5116
M5 inox nuts x 2.5mm for 3/16 guides.

SC-5103
Inox M2 self blocking spacers

SC-5101
M2 inox hardened nuts.

SC-5102
M2 nylon nuts.

SC-5105
Philips steel screw conic head M2 x 8mm

SC-5109
Allen screw M2x4mm.

SC-5110
Steel allen screw M2 x 6mm.

SC-5111
Allen inox screw M2 x 6mm. Hubs/Gears

SC-5112
Allen inox screw M3 x 3mm. Hubs/Gears.

SC-5106
Flat nylon screw M2 x 10mm

SC-5107
Flat nylon screw M2x16mm

SC-5113
Nylon philips screw M2 x 10mm .

SC-5120
Countersunk M2 Titanium screws

SC-5121
flat M2 Titanium screws

SC-5122
Half thread M2 Titanium screws

Tyre Truying Machine

SC-5040 Tyre truying machine

1. Complete vacuum box to slore it and keep dirt safety place.
2. Optical sanding measure view.
3. High quality Ball Bearings.
4. Allow to do 1 or 2 tyres at the same time for a perfect pair of competition set of tyres. Easy to exchange drum with diferent grit abrasive rolls.
5. Smooth 5 pole Motor.
6. Preassembled electronic speed regulator. Only needs 3Amp to work.
7. Anodized Aluminium CNC Machinered dessign.
8. Vacuum Cleaner Fixing Hole.
9. Up to 30mm. diameter tires allowed.
10. Easy disassembling for adjusting and replacing sanding drums, belts and cleaning.
11. For all type of available axles (3mm, 3/32" and 2,5mm).
12. Maximum sanding Stoper.

Aluminium Hubs for 3mm Axle

Supplied in bags of 2 units with M3 screw.

RAD-1 Design

SC-4205
ø 21mm
Width: 16mm

Corse Design

SC-4000
ø 21mm, Width: 10mm

SC-4001
ø 21mm, Width: 16mm

Solid Design

SC-4042
ø 23,5 mm, D2: 21,5mm
Width: 10mm

SC-4043
ø 23,5 mm, D2: 21,5mm
Width: 13mm

Lightweight Design

SC-4002
ø 17mm
Width: 8mm

SC-4003
ø 21mm
Width: 8mm

SC-4004
ø 21mm
Width: 13mm

Lightweight Design

SC-4036b
ø 22,2mm,
D2: 20mm
Width: 11,5mm

SC-4037b
ø 22,2 mm, D2:
20mm
Width: 9mm

Lightweight Design

• NEW •

SC-4019
ø 19,5 mm, D2: 17,3
Width: 10,2mm

SC-4029
ø 20,5 mm, D2: 18
Width: 10,2mm

SC-4047
ø 23,5 mm, D2: 21,5
Width: 10,2mm

SC-4056f
ø 21 mm, D2: 19
Width: 13mm

SC-4050f
ø 22 mm, D2: 20
Width: 13mm

SC-4056e
ø 21 mm, D2: 19
Width: 13mm

SC-4057f
ø 21 mm, D2: 19
Width: 10mm

SC-4055f
ø 22 mm, D2: 20
Width: 10mm

SC-4057e
ø 21 mm, D2: 19
Width: 10mm

Aluminium Hubs for 3/32” Axle



Diameters in mm D	D2	GT sport Aluminium	Monza magnesium	Imola Aluminium	Monza-2 Aluminium	Jarama Aluminium	Lightweight Aluminium
14,8	12,7		SC-4030b				
15,8	13,6	SC-4017		SC-4031c			
16,5	14,3		SC-4046b	SC4046c	SC-4046d		
16,9	14,7			SC-4048c	SC-4048d		
17,2	15				SC-4034d		

Diameters in mm D	D2	GT sport Aluminium	Monza magnesium	Imola Aluminium	Monza-2 Aluminium	Jarama Aluminium	Lightweight Aluminium
14,8	12,7				SC-4030d		SC-4030f
15,5	13,3				SC-4053d		SC-4053f
15,8	13,6				SC-4031d	SC-4031e	SC-4031f
16,2	14				SC-4049d	SC-4049e	SC-4049f
16,5	14,3					SC-4046e	SC-4046f
16,9	14,7					SC-4048e	SC-4048f
17,2	15					SC-4034e	SC-4034f
17,5	15,3				SC-4052d		SC-4052f

Diameters in mm D	D2	GT sport Aluminium	Monza magnesium	Imola Aluminium	Monza-2 Aluminium	Jarama	Lightweight
14,8	12,7		SC-4035b		SC-4035d		
15,8	13,6		SC-4032b		SC-4032d		
16,2	14				SC-4051d		SC-4051f
16,5	14,3				SC-4054d		SC-4054f

Rubber tyres

Rubber tyres for profile hubs. Supplied in bags of 4 units.



Zero Grip

SC-4723
D: 17,5mm
H: 10mm
D2: 16mm

SC-4724
D: 16mm
H: 8,5mm
D2: 14mm

RT-Racing

SC-4720
D: 19mm
H: 10mm
D2: 14mm

SC-4721
D: 20mm
H: 12mm
D2: 14mm

SC-4722
D: 20mm
H: 10
D2: 16mm

SC-4730
D: 24mm
H: 12mm
D2: 16mm

SC-4732
D: 24mm
H: 12mm
D2: 16mm

SC-1032
D: 19mm
H:10,5mm
D2: 15mm

Soft-Racing

SC-4725
D: 25mm
H: 13mm
D2: 18mm

SC-4726
D: 19mm
H: 10mm
D2: 14mm

SC-4727
D: 20mm
H: 12mm
D2: 14mm

SC-4728
D: 20mm
H: 10mm
D2: 16mm

SC-4729
D: 24mm
H: 12mm
D2: 16mm

SC-4731
D: 24mm
H: 12mm
D2: 16mm

SC-4734 • NEW •
D: 18mm
H: 9mm
D2: 14,5mm

SC-4735
D: 19,5mm
H: 10mm
D2: 15mm

SC-4736 • NEW •
D: 25mm
H: 13mm
D2: 19mm

SC-4737 • NEW •
D: 25mm
H: 13mm
D2: 19mm

Original car replacements

SC-4716
D: 26mm
H: 10mm
D2: 19mm

SC-4717
D: 27mm
H: 13mm
D2: 19mm

SC-4718
D: 18,5mm
H: 10mm
D2: 15mm

SC-4719
D: 19,5mm
H: 8,8mm
D2: 15mm

Axle Accesories

Supplied in bags of 2 units.

Bronze and nylon bushing

SC-1354
Bronze
5 x 2mm
Not flanged

SC-1351
Bronze.
5mm x 3/32"
Flanged.

SC-1357
Bronze.
6mm x 3/32"
Flanged.

• NEW •

SC-1358
Bronze.
6mm x 3/32"
Double flanged.

SC-1352b
Nylon
5mm x 3/32"
Double flanged

SC-1362b
Nylon
5mm x 3/32"
Triple flanged

SC-1325
Nylon
5mm x 3/32"
Double flanged
Bronze insert

High quality ceramic ball bearing

SC-1328
5mm x 3/32"
Open wall.
Flanged.

3/32" Axle

SC-1335
6 x 3mm
Open wall.
Flanged.

3mm Axle

High quality steel ball bearing

SC-1326
5 x 2mm
Flanged.

2mm Axle

SC-1334
6,35mm x 1/8"
Flanged.

1/8" Axle

High quality steel ball bearing 3/32" Axle

SC-1319
4,75mm x 3/32"
Not flanged.

SC-1321
5mm x 3/32"
Not flanged.

SC-1332
6mm x 3/32"
Not flanged. Width 2,6mm.

3/32" Axle

SC-1320
4,75mm x 3/32"
Flanged.

SC-1322
5mm x 3/32"
Flanged.
Width 2,5mm

SC-1329
6mm x 3/32"
Flanged.

3/32" Axle

SC-1323
5mm x 3/32"
Double flanged.
Width 2mm

SC-1324
5mm x 3/32"
Double flanged.
Width 1,7mm.

3/32" Axle

High quality steel ball bearing 3mm Axle

SC-1330
6 x 3mm
Not flanged.

3mm Axle

SC-1331
6 x 3mm
Flanged.

3mm Axle

SC-1333
6 x 3mm
Open wall.
Flanged.

3mm Axle

Aluminium slot box

SC-5050
Aluminium modular Slot Box (37x25x80 cm) with wheels.



SC-5051
Aluminium Slot Box reduced size (37x25x50 cm).

SC-5052
Aluminium Slot Box mini size (46x33x10 cm).

SC-5053
Aluminium Slot Box car transport (37x25x16cm).

SC-5054
Aluminium controller box (30x30x7cm).



SC-5000b
Pinion Press for all can motors.

SC-5001b
Pinion puller. -MINI-

SC-5300
Sponge/Rubber tyre cleaner.

SC-5301
Slotgrip Sponge/ Rubber tyre cleaner.

• NEW •

SC-5056
Acrylic car shelf for 1/32

SC-5057
Acrylic car shelf for 1/24

• NEW •

SC-5302
Speed oil

• NEW •

SC-5303
White magic grease

SC-5058 - SC-5061
Extension base for 4 cars for 1/32 and for 1/24

SC-5059 - SC-5062
Extension base for 6 cars for 1/32 and for 1/24

SC-5060 - SC-5063
Extension base for 8 cars for 1/32 and for 1/24

SC-5003 Tech tool for chasis ground clearance 1mm.
SC-5004 Tech tool for chasis ground clearance 1,3mm.
SC-5005 Tech tool for chasis ground clearance 2mm.
SC-5006 Tech tool for chasis ground clearance 1mm / 1,2 mm.
SC-5007 Tech tool for chasis ground clearance 1,3mm / 1,5mm.

SC-5043
Ground clearance tech tool.

Professional tools & liquids

SC-5030
ProTool Allen 0,95 mm with blue aluminium handle.

SC-5031
ProTool Allen 1,5 mm with blue aluminium handle.

SC-5032
ProTool Allen 2 mm with blue aluminium handle.

SC-5033
ProTool Phillips screwdriver with blue aluminium handle.

SC-5034
ProTool M4 nut with blue aluminium handle.

SC-5035
ProTool M4,5 nut with blue aluminium handle.

SC-5038
ProTool Allen 1,3 mm with blue aluminium handle.

SC-5036
M1,5 Allen bit spare for Pro Tool.

SC-5037
M0,95 Allen bit spare for Pro Tool.

• NEW •

SC-5044
ProDyno Wrench Allen 0'95 mm

• NEW •

SC-5045
ProDyno Wrench Allen 1,3 mm

• NEW •

SC-5046
ProDyno Wrench Allen 1,5 mm

SC-5010
M3 allen wrench.

SC-5020
M3 allen bit. for SC-5010

SC-5022
M2,5 allen bit. for SC-5010

SC-5024
M1,5 Economic allen.

SC-5025
M2,5 Economic allen.

SC-5026
M0,95 Economic allen.

IBB Auto Racing

IBB Auto Racing, S.L.
C/ La Masia, 28
08711 Odena (Barcelona) -Spain-
Tel.+34 93 803 08 80 Fax.+34 93 805 50 57
email: info@ibbautoracing.com
www.ibbautoracing.com

SCALEAUTO • Ver. 1.0 • January 2011 • Catalogue #6 English Version • Graphic Design: Pere Cassa • IBB Autoracing