



LOLA

T70 MKIII

CA00103S/W

E. Leslie - L. Motschenbacher
Daytona 24 Hours 69



Slot Cars
1/32nd scale



CA001KS/W

LOLA T70 MKIII complete body kit which goes with the complete running chassis with S/W MACH21 motor



BOK001

LOLA T70 MKIII complete white body kit.



COK001

Lola T70 MKIII cockpit kit.



ENK001

LOLA T70 MKIII engine exhaust kit.




HWK001

Lola T70 MKIII windows & head lights kit.




CHS001B

Lola T70 MKIII soft black chassis.
It is the standard chassis installed on the car.



CHS001G

Lola T70 MKIII hard grey chassis.
It goes as an option for faster tracks.



CHS001S

Lola T70 MKIII stiff dark grey chassis.
Made of a special compound like carbon fiber for
very fast tracks.



MTS001B

Soft black motor support.
It is the standard S/W support for the Mach 21 type
motor installed on the car.



MTS001G

Hard grey S/W motor support.
It goes as an option for the Mach 21 type motor for
more accurate style of driving on faster tracks



MTS001S

Stiff dark grey S/W motor support.
It goes as an option for the Mach 21 type motor for very precise style of driving on fast tracks.
Special compound equivalent to fiber carbon.



MTS002B

Soft black A/W motor support.
It goes as an option for the Storm 22 type motor (Boxer type).



MTS002G

Hard grey A/W motor support.
It goes as an option for the Storm 22 type motor (Boxer).



MTS002S

Stiff dark grey A/W motor support.
It goes as an option for the Storm 22 type motor (Boxer type).
Special compound equivalent to fiber carbon.




MTMACH21

12Volts -21500 rpm and 175g/cm motor standard for our classic cars.



GE32SWP

spur plastic gear with 32teeth and 17mm diameter.
Fixing screw of 4/40" or 2.5mm.



PN11PL

plastic pinion 11 teeth, dia. 7mm. (2 pcs).



BBB001

bronze bush bearing for 3/32" axle.



AXLOO1

steel axle 2.38mm.(3/32")x49mm. (2 pcs).



RMROO1AL

alu rear rims 14.30 x 10 mm. (4/40" allen screw).



RMRO02AL

Aluminum rear rims 14,9 x 10 mm.
hexagonal screw M2,5
(need the same tool as for the 4/40" screws)



RMRFM001

sponge rings (9 x 14 mm.) to fit between the rim's ribs to keep the soft tyres "inflated" and enlarge the rims diameter up to 16mm.
This is something very innovative !



RMFO01PL

nylon light weight front rims dia 14 x 9 mm.



TYCO01FR

Classic threaded hard front tyres 9 x 18 mm.



TYRO03FR

hard low friction front tyres 9 x 16 mm.



TYC002R

Classic threaded rear tyres 10.8 x 19.2 mm.
Same performing compound as the slick racing tyres.



TYR004R

slick racing rear tyres 10.8 x 19 mm.



TYR005R

slick ext. racing rear tyres 10.8 x 19 mm.
special for low grip track



IN001C

Lola T70 MKIII wheel inserts with three pole knob.



IN001S

Lola T70 spyder wheel inserts.



BRA001CO
copper braid (1m.).



BRA002CO
copper braids (10 pcs.).



BRA003SIL
silver plated braid (1m.).



BRA004SIL
silver plated braids (10 pcs.).



GU001
guide flag with screw 2 x 8 mm.



LW001
silicon lead wire 1m.



CLW001
cut silicon lead wires with eyelets
(5 pcs wires 10 cm, 5 pcs wires 12 cm, 10 eyelets)



EYE001
eyelet set 10 pcs.



FIXK001
pods for motor mount and chassis kit
(4 pods, 5 torx screws 1.8 x 8 mm.).
It is the standard outfit on the classic cars.



SUSK003
complete suspension kit
(4 pods, 5 springs, 5 torx screw 1.8 x 12 mm.).



SUSK004

complete sponge suspension kit
(4 supports 5 sponge rings 5 screws 1.8 x 12 mm.)



SSK005

set 10 sponge rings for suspension.



SSK006M

set of 10 pieces medium springs suspension.



SCRO01TX

set of 10 pieces of modern and light torx T6 metric screws 1.8 x 8 mm. To be used to fix the body and the motor mount.



SCRO02TX

set of 10 pieces of modern and light torx T6 longer screws 1.8 x 12 mm.
To be used for the suspension option.



SC4.40HEX

hexagonal screws 4/40" for rims and gear (10 pcs.)



SC2.5HEX

hexagonal screws M 2.5 for front axle & body setting, rims and gear (10 pcs.).



SC003X

cross head metric screws 2 x 8mm. (10 pcs.)
To be used on the guide.



SC004X

cross head metric screws 2 x3 mm. (10 pcs.)
To be used to fix the motor to its mount.



WAS001

nylon spacers 1mm.(10 pcs.).




WAS002

nylon washers 0.5mm. (10 pcs.)



MG001neo

neodimium magnet 15x5x3 mm.



WDBOX01

display case



SKIRT

thunderslot banner skirt
(price to linear meter)

CA00102S/W

J. Bonnier/ B.Axelsson
BOAC 500 Brands Hatch 68



CA00101S/W

J. Surtees/ D. Hobbs
BOAC 500 Brands Hatch 67



LOGIGRAFICA

Via Chico Mendez 1 - 25030 ERBUSCO (BS) Italy
Tel. +39 030 7709099 Fax +39 030 5123299
mob.+39 345 0225839
info@thunderslot.com - gm@thunderslot.com